

Level - Lift

Level-Lift



PRO COMP EQUIPPED
2007 SIERRA W/32" TIRES

**LEVEL-LIFT....
RAISES FRONT SUSPENSION
RETAINS OE QUALITY RIDE**

Pro Comp Suspension Level Lift Systems are the fastest, safest and most affordable way to deliver the additional clearance you need to add wheels and tires ranging from 32" to 37" in diameter (depending on application). Level Lift™ Systems can be installed in less than 2 hours by a certified mechanic at a cost lower than the price of a single custom wheel. Level Lift™ Systems do not affect factory suspension or steering geometry, maintaining the OEM ride characteristics. Level Lift™ Systems are built so well, that we offer a lifetime warranty against defects for as long as you own your vehicle.



Larger aftermarket wheel/tire combinations can cause fender well clearance issues...Level Lift is the answer!



Strut Spacer kit



Torsion Key w/ Shock Extension kit



Torsion Key kit



Coil Spacer kit

- Increased tire and ground clearance
- OEM ride quality retained
- Powder coated for long life
- Easily installed and removed
- Guaranteed for the life of your vehicle
- Keep stock suspension "feel" while raising the front up to 2.5"
- Allows up to 32"- 37" wheel/tire combos depending on application
- Great for heavy-duty winch/bumper combo, snow plows or other parts that weigh down the front end of your vehicle

Level - Lift Dodge

PRO COMP EQUIPPED
2006 RAM W/33" TIRES

A Level Lift™ System will deliver additional clearance for mounting larger wheel/tire combinations while maintaining the "RAM Tough" manners of your Dodge Truck or SUV.



YEAR	MAKE	2/4WD	MAX LIFT	MAX TIRE DIAMETER	PART TYPE	FRONT SHOCK	REAR SHOCK	PART NUMBER
2002 - 2005	DODGE RAM 1500	4WD	2.0"	35" x 12.50"	Key	320553	326543	LL-1000
2006 - 2008	DODGE RAM 1500	4WD	2.5"	35" x 12.50"	Strut Ext	N/A	327501	LL-1020
2005 - 2008	DODGE DURANGO / CHRYSLER ASPEN	2WD & 4WD	2.25"	33" x 12.50"	Key	319500	324509	LL-1080
1994 - 2001	DODGE RAM 1500	4WD	2.0"	35" x 12.50"	Coil Spacer	325553	325543	LL-1090
1994 - 2007	DODGE RAM 2500/3500	4WD - 8 LUG	2.0"	35" x 12.50"	Coil Spacer	327553	325543	
2006 - 2008	DODGE RAM MEGA CAB 1500/2500/3500	4WD - 8 LUG	2.0"	35" x 12.50"	Coil Spacer	327553	325543	
TORSION KEY UNLOADING TOOL								LL-7822A

See notes at the bottom of this page.

Level - Lift Ford

Give your Ford truck that "Built Tough" stance and add additional fender well clearance for mounting larger wheel/tire combinations.



PRO COMP EQUIPPED
2007 F150 W/33" TIRES

YEAR	MAKE	2/4WD	MAX LIFT	MAX TIRE DIAMETER	PART TYPE	FRONT SHOCK	REAR SHOCK	PART NUMBER
1997 - 2002	FORD EXPEDITION	4WD	2.5"	33" x 12.50"	Key	318518	324509	LL-2000
1997 - 2004	FORD F250 LIGHT DUTY	4WD - 7 LUG	2.5"	33" x 12.50"	Key	317515	325510	
1997 - 2004	FORD F150 (HERITAGE) - OLD BODY	4WD	2.5"	33" x 12.50"	Key	317515	325510	
2004 - 2008	FORD F150 - NEW BODY	2WD & 4WD	3"	35" x 12.50"	Strut Ext	2WD-620553 4WD-621553	327504	LL-2050
2004 - 2008	LINCOLN MARK LT	2WD & 4WD	3"	35" x 12.50"	Strut Ext	2WD-620553 4WD-621553	327504	
2005 - 2008	FORD F250/F350 SUPER DUTY	4WD	2.5"	35" x 12.50"	Coil Spacer	924553	929508	LL-2090*

Notes:

LEVEL LIFT™ Kits allow for the use of tires with heights ranging from 32" to 37" inches depending on application.

LEVEL LIFT™ Recommends custom wheels no wider than 8.5" with no less than 4.5" of backspacing on most applications. Using wheels wider than 8.5" may require larger backspacing or a reduced tire height to reduce the chance of tire to fender clearance problems on some applications.

LEVEL LIFT™ Does not assume responsibility for any errors or misapplication contained within this guide. It is the responsibility of the installer to verify correct and safe fits.

*Factory 4" Block and U-Bolt kit needed to level F250

*2" longer shocks needed - EXP# 924553



Level - Lift Chevrolet

Retain your "Like a Rock" durability and gain additional clearance for mounting larger wheel/tire combinations with a Level Lift™ System designed specifically for your GM Truck or SUV.

PRO COMP EQUIPPED
2007 SILVERADO W/32" TIRES



YEAR	MAKE	2/4WD	MAX LIFT	MAX TIRE DIAMETER	PART TYPE	FRONT SHOCK	REAR SHOCK	PART NUMBER
2002 - 2006	CADILLAC ESCALADE / EXT / ESV	2WD & 4WD - 6 LUG	2.5"	33" x 12.50"	Key	317580	327543	LL-3000
2002 - 2006	CHEVROLET AVALANCHE 1500	2WD & 4WD - 6 LUG	2.5"	33" x 12.50"	Key	317580	327543	
2002 - 2006	CHEVROLET AVALANCHE 1500 W /BODY CLADDING	2WD & 4WD - 6 LUG	2.5"	32" x 11.50"	Key	317580	327543	
1999 - 2007	CHEVROLET SILVERADO 1500 (CLASSIC)	4WD - 6 LUG	2.5"	33" x 12.50"	Key	317580	326543	
2000 - 2006	CHEVROLET TAHOE / SUBURBAN 1500	2WD & 4WD - 6 LUG	2.5"	33" x 12.50"	Key	317580	326543	
1999 - 2007	GMC SIERRA 1500 (CLASSIC)	4WD - 6 LUG	2.5"	33" x 12.50"	Key	317580	326543	
2000 - 2006	GMC YUKON / YUKON XL	2WD & 4WD - 6 LUG	2.5"	33" x 12.50"	Key	317580	326543	
1999 - 2007	CHEVROLET SILVERADO 1500 (CLASSIC)	2WD - 6 LUG	2"	33" x 12.50"	Coil Spacer	317580	324543	LL-3025
1999 - 2007	GMC SIERRA 1500 (CLASSIC)	2WD - 6 LUG	2"	33" x 12.50"	Coil Spacer	317580	324543	
2002 - 2006	CHEVROLET AVALANCHE 2500	2WD & 4WD - 8 LUG	2.5"	33" x 12.50"	Key w/ Shock Ext	917552	925543	LL-3050
1999 - 2008	CHEVROLET SILVERADO 1500HD/2500HD/3500HD	2WD & 4WD - 8 LUG	2.5"	33" x 12.50"	Key w/ Shock Ext	917552	926505	
1999 - 2008	CHEVROLET SILVERADO 3500 SINGLE/DUALLY	2WD & 4WD - 8 LUG	2.5"	33" x 12.50"	Key w/ Shock Ext	917552	926543	
1999 - 2008	CHEVROLET SUBURBAN 2500	2WD & 4WD - 8 LUG	2.5"	33" x 12.50"	Key w/ Shock Ext	917552	926543	
1999 - 2008	GMC SIERRA 1500HD/2500HD/3500HD	2WD & 4WD - 8 LUG	2.5"	33" x 12.50"	Key w/ Shock Ext	917552	926543	
1999 - 2008	GMC SIERRA 3500 SINGLE/DUALLY	2WD & 4WD - 8 LUG	2.5"	33" x 12.50"	Key w/ Shock Ext	917552	926543	
1999 - 2008	GMC YUKON XL 2500	2WD & 4WD - 8 LUG	2.5"	33" x 12.50"	Key w/ Shock Ext	917552	926543	
2003 - 2008	HUMMER H-2 ALL	4WD - 8 LUG	2.5"	37" x 13.50"	Key w/ Shock Ext	917552	927543	
2002 - 2008	CHEVROLET COLORADO	4WD	2.5"	33" x 12.50"	Key	317515	323500	LL-3070
2002 - 2008	GMC CANYON	4WD	2.5"	33" x 12.50"	Key	317515	323500	
2006 - 2008	HUMMER H-3 ALL	4WD	2.5"	35" x 12.50"	Key	317580	324503	
2007 - 2008	CHEVROLET SILVERADO 1500	2WD & 4WD - 6 LUG	1.5"	32" x 11.50"	Strut Ext	4WD-618253	326501	LL-3080
2007 - 2008	GMC SIERRA 1500	2WD & 4WD - 6 LUG	1.5"	32" x 11.50"	Strut Ext	4WD-618253	326501	
2007 - 2008	CADILLAC ESCALADE / EXT / ESV	2WD & 4WD - 6 LUG	1.5"	32" x 11.50"	Strut Ext	4WD-618253	326501	
2007 - 2008	CHEVROLET AVALANCHE 1500	2WD & 4WD - 6 LUG	1.5"	32" x 11.50"	Strut Ext	4WD-618253	326501	
2007 - 2008	CHEVROLET TAHOE/ SUBURBAN 1500 LTZ	2WD & 4WD - 6 LUG	1.5"	32" x 11.50"	Strut Ext	4WD-618253	326501	
2007 - 2008	GMC YUKON / YUKON XL / DENALI	2WD & 4WD - 6 LUG	1.5"	32" x 11.50"	Strut Ext	4WD-618253	326501	
TORSION KEY UNLOADING TOOL								LL-7822A

See notes at the bottom of the following page.

Level - Lift Nissan

Pro Comp Suspension Level Lift™ Systems shift “The Titan of Trucks” to a new level of toughness by providing additional fender well clearance for the use of larger wheel/tire combinations.



PRO COMP EQUIPPED
2007 TITAN W/33" TIRES

YEAR	MAKE	2/4WD	MAX LIFT	MAX TIRE DIAMETER	PART TYPE	FRONT SHOCK	REAR SHOCK	PART NUMBER
2004 - 2008	INFINITY QX-56	2WD & 4WD	2"	33" x 12.50"	Strut Ext	615053	319543	LL-4000
2004 - 2008	NISSAN ARMADA	2WD & 4WD	2"	33" x 12.50"	Strut Ext	615053	319543	
2004 - 2008	NISSAN TITAN	2WD & 4WD	2"	33" x 12.50"	Strut Ext	615053	319543	

See notes at the bottom of this page.

Level - Lift Toyota

Looking to make your “TOY” more aggressive looking with a larger wheel/tire combination? Choose a Level Lift™ System to deliver the proper stance and additional fender well clearance you require.



PRO COMP EQUIPPED
2007 TUNDRA W/33" TIRES

YEAR	MAKE	2/4WD	MAX LIFT	MAX TIRE DIAMETER	PART TYPE	FRONT SHOCK	REAR SHOCK	PART NUMBER
2000 - 2008	TOYOTA SEQUOIA	2WD & 4WD	3"	33" x 12.50"	Strut Ext	N/A	324514	LL-5000
2004 - 2006	TOYOTA TUNDRA DBL CAB	2WD & 4WD	3"	33" x 12.50"	Strut Ext	N/A	321513	
1999 - 2006	TOYOTA TUNDRA XTRA / REG CAB	2WD & 4WD	3"	33" x 12.50"	Strut Ext	N/A	321513	
2003 - 2007	TOYOTA 4 RUNNER	4WD & 2WD	2.25"	32" x 11.50"	Strut Ext	618053	321513	LL-5055
2005 - 2008	TOYOTA TACOMA / PRE-RUNNER	4WD & 2WD - 6 LUG	2.25"	33" x 12.50"	Strut Ext	622053	327518	
2006 - 2008	TOYOTA FJ CRUISER	4WD & 2WD 6-LUG	2.25"	33" x 12.50"	Strut Ext	4WD-622053	N/A	
2007 - 2008	TOYOTA TUNDRA - NEW BODY	4WD & 2WD	2.4"	33" x 12.50"	Strut Ext	623553	327518	LL-5075

NOTES:

LEVEL LIFT™ Kits allow for the use of tires with heights ranging from 32" to 37" inches depending on application.

LEVEL LIFT™ Recommends custom wheels no wider than 8.5" with no less than 4.5" of backspacing on most applications. Using wheels wider than 8.5" may require larger backspacing or a reduced tire height to reduce the chance of tire to fender clearance problems on some applications.

LEVEL LIFT™ Does not assume responsibility for any errors or misapplication contained within this guide. It is the responsibility of the installer to verify correct and safe fitments.

